APPENDIX P

Summary of Pipeline Collocation with Existing Rights-of-Way

APPENDIX P

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Offset between Pipe and Edge of ROW (feet) <u>a/</u> | Construction ROW Offset (feet) <u>a/</u> |
|--|----------|--------|--------------------|---|--|
| MOUNTAIN VALLEY PROJECT | | | | | |
| West Virginia | | | | | |
| Wetzel County | | | | | |
| Field Road ROW | 0.2 | 0.35 | 800 | 0 to 31 | 0 to 30 |
| Pipeline | 0.9 | 1.05 | 800 | 0 to 42 | 30 |
| Overhead Power Line | 1.7 | 1.85 | 800 | 0 to 63 | 25 to 50 |
| County Road ROW | 1.75 | 1.85 | 500 | 0 to 93 | 0 to 30 |
| County Road ROW | 2.3 | 2.36 | 300 | 0 to 65 | 0 to 30 |
| County Road ROW | 3 | 3.5 | 2,600 | 0 to 150 | 0 to 30 |
| Pipeline | 3.3 | 3.5 | 1,100 | 25 | 0 to 30 |
| Pipeline | 3.9 | 4 | 500 | 67 | 0 |
| Pipeline | 4.2 | 4.6 | 2,100 | 0 to 42 | 0 to 100 |
| Field Road ROW | 6.1 | 6.4 | 1,600 | 0 to 145 | 0 to 15 |
| Harrison County | | | | | |
| Field Road ROW | 12.5 | 12.7 | 1,100 | 0 to 38 | 0 to 30 |
| Pipeline | 12.7 | 12.85 | 800 | 0 to 25 | 0 to 30 |
| Pipeline | 13.25 | 13.35 | 500 | 0 to 5 | 30 |
| Pipeline | 14 | 14.1 | 500 | 0 to 20 | 0 to 30 |
| Field Trail ROW | 14.1 | 14.4 | 1,600 | 0 | 0 to 15 |
| Pipeline | 14.85 | 16 | 6,100 | 25 | 38 |
| Field Road ROW | 16 | 16.65 | 3,400 | 0 to 291 | 0 to 15 |
| Pipeline | 16.25 | 16.35 | 500 | 0 to 88 | 0 to 30 |
| Pipeline | 16.45 | 16.65 | 1,100 | 4 to 88 | 0 to 30 |
| Pipeline | 20.2 | 20.25 | 300 | 0 to 2 | 30 |
| Field Trail ROW | 21 | 21.2 | 1,100 | 0 | 0 to 15 |
| Pipeline | 22.1 | 22.6 | 2,600 | 0 to 121 | 0 to 30 |
| Field Trail ROW | 23.4 | 24 | 3,200 | 0 to 203 | 0 to 15 |
| Fiber optic | 24.85 | 24.95 | 500 | 0 to 126 | 0 to 15 |
| Pipeline | 25.65 | 25.7 | 300 | 0 to 16 | 23 to 50 |
| Field Road ROW | 28.25 | 28.5 | 1,300 | 0 to 16 | 0 to 15 |
| Pipeline | 29.2 | 29.4 | 1,100 | 0 | 50 |
| Field Trail ROW | 29.4 | 29.7 | 1,600 | 217 to 306 | 0 |
| Field Trail ROW | 29.55 | 29.72 | 900 | 0 to 134 | 0 to 15 |
| Field Trail ROW | 30.5 | 30.7 | 1,100 | 0 | 0 to 15 |
| Pipeline | 31 | 31.5 | 2,600 | 114 | 0 |

P-1 Appendix P

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Offset between Pipe and Edge of ROW (feet) | Construction ROW Offset (feet) <u>a/</u> |
|--|----------|--------|--------------------|--|--|
| Overhead Power Line | 32.7 | 33.1 | 2,100 | 0 to 20 | 0 to 15 |
| Pipeline | 32.7 | 32.9 | 1,100 | 0 to 48 | 0 to 15 |
| Pipeline | 32.9 | 33 | 500 | 0 to 42 | 30 |
| Pipeline | 32.9 | 33 | 500 | 0 to 57 | 30 |
| Underground Telephone Line | 32.9 | 33 | 500 | 15 | 0 to 15 |
| Harrison/Doddridge County | | | | | |
| Field Road ROW | 36.9 | 37.6 | 3,700 | 0 to 183 | 0 to 15 |
| Doddridge County | | | -, | | |
| Pipeline | 31.7 | 31.8 | 500 | 12 | 50 |
| Field Road ROW | 33.82 | 34.5 | 3,600 | 0 to 52 | 0 to 15 |
| Field Road ROW | 34.4 | 34.48 | 400 | 0 to 88 | 0 to 15 |
| Pipeline | 35.15 | 35.3 | 800 | 25 | 25 |
| Field Road ROW | 35.3 | 35.7 | 2,100 | 0 to 88 | 0 to 15 |
| Field Road ROW | 35.98 | 36.08 | 500 | 0 to 76 | 0 to 15 |
| Pipeline | 36 | 36.1 | 500 | 0 | 0 to 30 |
| <u>Lewis County</u> | | | | | |
| Field Road ROW | 39.3 | 39.95 | 3,400 | 0 to 182 | 0 to 15 |
| Pipeline | 39.98 | 40.03 | 300 | 16 | 47 |
| Pipeline | 42.2 | 42.4 | 1,100 | 0 to 42 | 0 to 50 |
| Pipeline | 42.85 | 44 | 6,100 | 0 to 176 | 0 to 50 |
| Pipeline | 42.95 | 43.5 | 2,900 | 0 to 88 | 0 to 50 |
| Pipeline | 43.8 | 43.95 | 800 | 25 | 25 |
| Field Road ROW | 43.95 | 44.6 | 3,400 | 0 to 145 | 0 to 15 |
| Pipeline | 44.9 | 44.95 | 300 | 53 | 50 |
| Underground electric | 45.5 | 45.85 | 1,800 | 0 to 77 | 0 to 15 |
| Pipeline | 46.44 | 46.46 | 100 | 0 to 88 | 0 to 50 |
| Field Road ROW | 46.6 | 47.5 | 4,800 | 0 to 258 | 0 to 15 |
| Pipeline | 47.1 | 47.3 | 1,100 | 0 to 21 | 30 |
| Field Road ROW | 48.03 | 48.05 | 100 | 17 to 126 | 0 to 15 |
| Field Trail ROW | 51.3 | 51.45 | 800 | 0 | 0 to 15 |
| Pipeline | 51.8 | 52.3 | 2,600 | 0 to 70 | 0 to 30 |
| Pipeline | 52.4 | 52.6 | 1,100 | 0 to 117 | 0 to 30 |
| Pipeline | 52.8 | 53.1 | 1,600 | 96 | 25 |
| County Road ROW | 52.9 | 53.1 | 1,100 | 0 to 132 | 0 to 30 |
| County Road ROW | 53.1 | 53.25 | 800 | 0 to 193 | 0 to 30 |
| Field Trail ROW | 53.25 | 54.4 | 6,100 | 0 to 39 | 0 to 15 |

Appendix P P-2

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Offset between Pipe and Edge of ROW (feet) <u>a/</u> | Construction ROW Offset (feet) <u>a/</u> |
|--|----------|--------|--------------------|---|--|
| Overhead Power Line | 53.2 | 53.3 | 500 | 0 | 50 |
| Pipeline | 53.2 | 53.3 | 500 | 0 to 4 | 30 |
| Pipeline | 54.8 | 54.85 | 300 | 0 to 25 | 0 to 30 |
| Pipeline | 55.45 | 55.55 | 500 | 0 to 48 | 0 to 50 |
| Field Trail ROW | 55.95 | 55.99 | 200 | 6 to 59 | 0 to15 |
| Pipeline | 56.3 | 56.5 | 1,100 | 0 | 50 |
| Pipeline | 56.5 | 56.55 | 300 | 0 to 25 | 15 to 30 |
| Field Road ROW | 56.6 | 56.73 | 700 | 0 to 88 | 0 to 15 |
| Field Road ROW | 57.3 | 58.1 | 4,200 | 0 | 0 to 15 |
| Field Road ROW | 59.7 | 59.8 | 500 | 0 to 88 | 0 to 15 |
| Pipeline | 60.6 | 60.7 | 500 | 0 to 74 | 0 to 50 |
| Field Road ROW | 60.85 | 61.35 | 2,600 | 0 to 210 | 0 to 15 |
| Pipeline | 60.9 | 60.95 | 300 | 0 to 141 | 0 to 50 |
| Field Road ROW | 61.9 | 62.15 | 1,300 | 0 | 0 to 15 |
| Pipeline | 63.1 | 63.35 | 1,300 | 0 to 55 | 0 to 320 |
| Field Road ROW | 64.45 | 64.68 | 1,200 | 0 to 86 | 0 to 15 |
| Field Trail ROW | 64.95 | 65.15 | 1,100 | 0 to | 0 to 15 |
| Braxton County | | | | | |
| Field Trail ROW | 66.2 | 66.4 | 1,100 | 0 | 0 to 15 |
| Field Trail ROW | 67 | 67.05 | 300 | 0 | 0 to 15 |
| Field Trail ROW | 67.15 | 67.3 | 800 | 0 | 0 to 15 |
| Field Trail ROW | 68 | 68.6 | 3,200 | 0 | 0 to 15 |
| Pipeline | 69 | 69.1 | 500 | 0 to 73 | 0 to 30 |
| Field Trail ROW | 69 | 69.12 | 600 | 0 | 0 to 15 |
| Field Road ROW | 71.85 | 71.9 | 300 | 0 | 0 to 15 |
| Field Road ROW | 72 | 72.05 | 300 | 0 | 0 to 15 |
| Pipeline | 72.6 | 73.5 | 4,800 | 0 to 225 | 0 to 30 |
| Field Road ROW | 72.62 | 73.4 | 4,100 | 0 to 224 | 0 to 30 |
| Field Road ROW | 74.3 | 74.5 | 1,100 | 0 | 0 to 15 |
| Overhead Power Line | 73.65 | 73.85 | 1,100 | 0 to 79 | 0 to 50 |
| Field Road ROW | 75 | 75.15 | 800 | 0 | 0 to 15 |
| Field Trail ROW | 75.35 | 76.2 | 4,500 | 0 | 0 to 15 |
| Pipeline | 76.05 | 76.3 | 1,300 | 0 to 62 | 0 to 50 |
| Pipeline | 76.4 | 76.5 | 500 | 0 to 25 | 0 to 30 |
| County Road ROW | 78.4 | 78.5 | 500 | 0 to 147 | 0 to 30 |

P-3 Appendix P

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| | | <u> </u> | - | Offset between | |
|--|----------|----------|--------------------|---|--|
| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Pipe and Edge of ROW (feet) <u>a/</u> | Construction ROW Offset (feet) <u>a/</u> |
| Webster County | | | | | |
| Field Trail ROW | 81.45 | 81.6 | 800 | 0 to 94 | 0 to 15 |
| Overhead Power Line | 82.1 | 82.4 | 1,600 | 0 to 112 | 0 to 50 |
| Field Trail ROW | 82.15 | 82.25 | 500 | 0 | 0 to 15 |
| County Road ROW | 82.28 | 82.5 | 1,200 | 0 to 323 | 0 to 30 |
| Field Trail ROW | 83.9 | 84.05 | 800 | 0 | 0 to 15 |
| Field Trail ROW | 86.27 | 86.6 | 1,700 | 0 | 0 to 15 |
| Field Road ROW | 88.55 | 90.04 | 7,900 | 0 to 271 | 0 to 15 |
| Field Road ROW | 91.2 | 92.1 | 4,800 | 0 to 88 | 0 to 15 |
| Field Road ROW | 93.6 | 97 | 18,000 | 0 | 0 to 15 |
| County Road ROW | 98.65 | 98.9 | 1,300 | 42 to 78 | 0 to 4 |
| Overhead Power Line | 98.75 | 98.85 | 500 | 7 to 30 | 5 to 50 |
| Field Trail ROW | 103.6 | 103.75 | 800 | 0 | 0 to 15 |
| Overhead Power Line | 105.9 | 106.1 | 1,100 | 0 to 164 | 0 to 50 |
| Field Trail ROW | 107.1 | 107.3 | 1,100 | 0 | 0 to 15 |
| Field Road ROW | 108.3 | 108.65 | 1,800 | 5 to 112 | 0 to 15 |
| Field Road ROW | 109.25 | 109.45 | 1,100 | 0 to 50 | 0 to 15 |
| Webster/Nicholas County | | | | | |
| Field Road ROW | 110.5 | 110.78 | 1,500 | 0 to 184 | 0 to 15 |
| Nicholas County | | | | | |
| Local Road ROW | 109.75 | 109.8 | 300 | 0 to 62 | 0 to 15 |
| Field Road ROW | 110.9 | 110.95 | 300 | 0 to 268 | 0 to 15 |
| Pipeline | 113.45 | 113.65 | 1,100 | 0 to 94 | 0 to 30 |
| Pipeline | 113.7 | 113.8 | 500 | 0 to 20 | 0 to 30 |
| Field Road ROW | 118.95 | 119.15 | 1,100 | 0 | 0 to 15 |
| Field Road ROW | 122.5 | 122.6 | 500 | 0 | 0 to 15 |
| Overhead Power Line | 122.8 | 122.85 | 300 | 0 to 155 | 0 to 50 |
| Field Road ROW | 127.8 | 127.83 | 200 | 0 | 0 to 15 |
| Overhead Power Line | 129.38 | 129.42 | 200 | 0 to 58 | 0 to 50 |
| County Road ROW | 129.38 | 129.46 | 400 | 0 to 133 | 0 to 30 |
| Field Road ROW | 131.65 | 131.82 | 900 | 0 | 0 to 15 |
| Overhead Power Line | 132.85 | 133 | 800 | 0 to 186 | 0 to 50 |
| County Road ROW | 133.14 | 133.7 | 3,000 | 0 to 29 | 0 to 30 |
| County Road ROW | 134.4 | 135.3 | 4,800 | 0 to 165 | 0 to 30 |
| Overhead Power Line | 134.6 | 134.7 | 500 | 0 to 88 | 0 to 50 |

Appendix P P-4

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| | | | • | Offset between | |
|--|----------|--------|--------------------|-----------------------------|--|
| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Pipe and Edge of ROW (feet) | Construction ROW Offset (feet) <u>a/</u> |
| Greenbrier County | | | | | |
| Overhead Power Line | 135.85 | 136.4 | 2,900 | 0 to 92 | 0 to 100 |
| County Road ROW | 136.04 | 136.05 | 100 | 0 to 78 | 0 to 15 |
| State Route ROW | 136.35 | 136.65 | 1,600 | 0 to 239 | 0 to 30 |
| Field Road ROW | 136.7 | 136.8 | 500 | 0 | 0 to 15 |
| Field Road ROW | 137.25 | 137.35 | 500 | 0 to 146 | 0 to 15 |
| Field Road ROW | 137.97 | 139.35 | 7,300 | 0 to 276 | 0 to 15 |
| Overhead Power Line | 138.15 | 138.25 | 500 | 0 to 44 | 0 to 50 |
| Overhead Power Line | 140.45 | 140.55 | 500 | 0 to 46 | 0 to 50 |
| County Road ROW | 140.45 | 140.6 | 800 | 0 to 74 | 0 to 30 |
| Field Road ROW | 140.98 | 141.3 | 1,700 | 0 | 0 to 15 |
| Field Road ROW | 141.55 | 142.45 | 4,800 | 0 | 0 to 15 |
| Overhead Power Line | 143.8 | 143.85 | 300 | 37 to 88 | 0 to 33 |
| Field Road ROW | 145.75 | 146 | 1,300 | 33 To 45 | 0 to 6 |
| Field Trail ROW | 151.35 | 151.55 | 1,100 | 0 | 0 to 15 |
| Overhead Power Line | 152.15 | 152.25 | 500 | 0 | 0 to 50 |
| Field Road ROW | 152.3 | 152.65 | 1,800 | 0 | 0 to 15 |
| County Road ROW | 152.9 | 153.3 | 2,100 | 0 to 148 | 0 to 30 |
| Fayette County | | | | | |
| Field Road ROW | 153.8 | 153.95 | 800 | 0 | 0 to 15 |
| Summers County | | | | | |
| Underground Telephone Line | 158.8 | 158.85 | 300 | 0 to 124 | 0 to 15 |
| Field Trail ROW | 159.3 | 159.5 | 1,100 | 0 to 112 | 0 to 15 |
| Field Trail ROW | 160.3 | 160.5 | 1,100 | 0 | 0 to 15 |
| Field Trail ROW | 162.85 | 162.97 | 600 | 0 | 0 to 15 |
| Field Trail ROW | 163.25 | 164.2 | 5,000 | 0 to 139 | 0 to 15 |
| County Road ROW | 163.3 | 163.5 | 1,100 | 0 to 132 | 0 to 30 |
| Underground Telephone Line | 166.8 | 167.05 | 1,300 | 0 to 151 | 0 to 15 |
| Overhead Power Line | 166.8 | 167.05 | 1,300 | 0 to 88 | 22 to 50 |
| Field Trail ROW | 167.75 | 168.35 | 3,200 | 0 | 0 to 15 |
| Field Road ROW | 170.05 | 170.15 | 500 | 44 to 117 | 0 to 15 |
| Overhead Power Line | 170.4 | 170.45 | 300 | 0 | 0 to 50 |
| Field Trail ROW | 171.3 | 171.55 | 1,300 | 0 to 88 | 0 to 15 |
| Summers/Monroe County | | | | | |
| Overhead Power Line | 173.2 | 173.5 | 1,600 | 52 to 182 | 0 to 37 |

P-5 Appendix P

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Offset between Pipe and Edge of ROW (feet) <u>a/</u> | Construction ROW Offset (feet) <u>a/</u> |
|--|----------|--------|--------------------|---|--|
| Monroe County | | | | | |
| Field Road ROW | 173.6 | 174.4 | 4,200 | 0 | 0 to 15 |
| Local Public Road ROW | 175.2 | 175.6 | 2,100 | 0 to 78 | 0 to 125 |
| Field Road ROW | 176.75 | 177.3 | 2,900 | 0 | 0 to 15 |
| Overhead Power Line | 179.1 | 179.35 | 1,300 | 0 to 101 | 0 to 50 |
| Field Road ROW | 179.1 | 179.8 | 3,700 | 0 to 100 | 0 to 15 |
| Overhead Power Line | 184 | 184.15 | 800 | 0 | 0 to 50 |
| Field Road ROW | 181.4 | 181.5 | 500 | 0 to 151 | 0 to 15 |
| Field Road ROW | 182.25 | 183.55 | 6,900 | 0 to 269 | 0 to 15 |
| County Road ROW | 187.29 | 187.58 | 1,500 | 0 to 141 | 0 to 30 |
| Field Trail ROW | 191.1 | 192 | 4,800 | 0 | 0 to 15 |
| Virginia | | | | | |
| Giles County | | | | | |
| National Trail | 195.39 | 195.47 | 400 | 0 to 120 | 0 to 15 |
| Field Trail ROW | 195.9 | 197.85 | 10,300 | 0 to 112 | 0 to 15 |
| Overhead Power Line | 199.1 | 199.4 | 1,600 | 116 | 0 |
| Overhead Power Line | 199.4 | 199.8 | 2,100 | 0 to 165 | 0 to 100 |
| Overhead Power Line | 199.8 | 200.1 | 1,600 | 80 | 7 |
| Overhead Power Line | 201.1 | 201.5 | 2,100 | 86 | 0 |
| Overhead Power Line | 201.95 | 202.3 | 1,800 | 77 | 0 |
| Field Trail ROW | 201.9 | 201.98 | 400 | 0 | 0 to 15 |
| Overhead Power Line | 202.3 | 202.55 | 1,300 | 0 to 280 | 0 to 100 |
| State Route ROW | 202.35 | 202.43 | 400 | 0 to 88 | 0 to 30 |
| Field Road ROW | 202.82 | 203 | 1,000 | 0 | 0 to 15 |
| Overhead Power Line | 202.55 | 202.9 | 1,800 | 82 | 6 |
| Overhead Power Line | 203.15 | 203.45 | 1,600 | 79 | 8 |
| Overhead Power Line | 203.45 | 203.9 | 2,400 | 83 | 0 |
| Overhead Power Line | 203.9 | 204.1 | 1,100 | 84 | 4 |
| Overhead Power Line | 204.1 | 204.95 | 4,500 | 84 | 4 |
| Overhead Power Line | 204.95 | 205.65 | 3,700 | 0 to 548 | 0 to 75 |
| Overhead Power Line | 205.65 | 206.8 | 6,100 | 69 | 0 |
| Overhead Power Line | 206.8 | 207 | 1,100 | 0 to 175 | 0 |
| Field Road ROW | 206.9 | 207 | 500 | 0 | 0 to 15 |
| Overhead Power Line | 207 | 207.55 | 2,900 | 96 | 0 |
| Overhead Power Line | 209.6 | 209.9 | 1,600 | 22 | 16 |
| Local Public Road ROW | 209.02 | 209.15 | 700 | 0 to 61 | 0 to 15 |

Appendix P

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Offset between Pipe and Edge of ROW (feet) <u>a/</u> | Construction ROW Offset (feet) <u>a/</u> |
|--|----------|--------|--------------------|---|--|
| State Route ROW | 210.79 | 210.81 | 100 | 83 | 4 |
| Montgomery County | | | | | |
| Overhead Power Line | 221.4 | 221.75 | 1,800 | 82 | 5 |
| Overhead Power Line | 221.75 | 222.5 | 4,000 | 38 to 208 | 0 |
| Overhead Power Line | 222.5 | 222.8 | 1,600 | 89 | 1 |
| Overhead Power Line | 222.8 | 223.4 | 3,200 | 0 to 202 | 0 to 100 |
| State Route ROW | 222.89 | 222.92 | 200 | 0 to 106 | 0 to 30 |
| Overhead Power Line | 223.4 | 223.75 | 1,800 | 0 to 432 | 0 to 100 |
| Overhead Power Line | 223.75 | 224 | 1,300 | 76 to 218 | 0 to 11 |
| Local Public Road ROW | 223.89 | 223.95 | 300 | 15 to 52 | 0 to 15 |
| Overhead Power Line | 224 | 225.4 | 7,400 | 75 | 13 |
| Local Private Road ROW | 224.3 | 224.4 | 500 | 0 to 145 | 0 to 15 |
| Field Trail ROW | 224.7 | 224.82 | 600 | 0 | 0 to 15 |
| Electric Transmission Line | 226.6 | 226.75 | 800 | 76 | 9 |
| Electric Transmission Line | 226.75 | 227.55 | 4,200 | 0 to 612 | 0 to 100 |
| Electric Transmission Line | 227.55 | 229.05 | 7,900 | 70 | 18 |
| Electric Transmission Line | 229.05 | 229.35 | 1,600 | 0 to 135 | 0 to 100 |
| Field Road ROW | 229.2 | 229.35 | 800 | 45 to 54 | 0 to 7 |
| State Route ROW | 231 | 231.2 | 1,100 | 0 to 85 | 0 to 30 |
| State Route ROW | 230.1 | 230.12 | 100 | 0 to 140 | 0 to 30 |
| Electric Transmission Line | 232.85 | 233.05 | 1,100 | 74 | 13 |
| Roanoke County | | | | | |
| Field Trail ROW | 236.6 | 237.15 | 2,900 | 0 to 64 | 0 to 15 |
| Field Road ROW | 238.5 | 238.65 | 800 | 0 to 88 | 0 to 15 |
| Franklin County | | | | | |
| Field Road ROW | 246.5 | 246.65 | 800 | 0 to 46 | 0 to 15 |
| Overhead Power Line | 247.1 | 247.35 | 1,300 | 0 to 145 | 0 |
| State Route ROW | 247.19 | 247.31 | 600 | 60 to 180 | 0 |
| State Route ROW | 247.2 | 247.31 | 600 | 50 | 13 |
| Local private Road ROW | 254.85 | 255.3 | 2,400 | 0 to 88 | 0 to 15 |
| State Route ROW | 256.58 | 256.64 | 300 | 0 to 68 | 0 to 30 |
| State Route ROW | 258.92 | 258.93 | 100 | 0 to 25 | 0 to 30 |
| Electric Transmission Line | 259.05 | 259.4 | 1,800 | 33 | 55 |
| Electric Transmission Line | 259.4 | 259.7 | 1,600 | 41 | 0 |
| Electric Transmission Line | 262.1 | 262.25 | 800 | 0 to 44 | 0 to 100 |
| Overhead Power Line | 263.1 | 263.6 | 2,600 | 0 to 112 | 0 to 50 |

P-7 Appendix P

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Offset between Pipe and Edge of ROW (feet) <u>a/</u> | Construction ROW Offset (feet) <u>a/</u> |
|--|----------|--------|--------------------|---|--|
| Field Road ROW | 263.6 | 263.95 | 1,800 | 0 to 223 | 0 to 15 |
| Electric Transmission Line | 263.7 | 264 | 1,600 | 0 to 167 | 0 to 100 |
| Electric Transmission Line | 264 | 265.7 | 1,300 | 0 to 411 | 0 to 100 |
| Field Road ROW | 264.45 | 265.45 | 5,300 | 0 to 225 | 0 to 15 |
| Field Road ROW | 270.8 | 272.5 | 9,000 | 0 to 122 | 0 to 15 |
| Field Road ROW | 273.5 | 273.65 | 800 | 0 to 52 | 0 to 15 |
| Field Road ROW | 274.14 | 274.16 | 100 | 0 | 0 to 15 |
| Electric Transmission Line | 274.85 | 275.25 | 2,100 | 10 | 25 |
| Electric Transmission Line | 275.3 | 275.75 | 2,400 | 13 | 25 |
| Field Road ROW | 275.3 | 275.7 | 2,100 | 0 | 0 to 15 |
| Electric Transmission Line | 275.8 | 276.1 | 1,600 | 25 | 13 |
| Electric Transmission Line | 276.15 | 276.55 | 2,100 | 12 | 76 |
| Field Road ROW | 276.15 | 276.55 | 2,100 | 0 to 55 | 0 to 15 |
| Electric Transmission Line | 276.55 | 277 | 2,400 | 0 | 38 |
| Field Road ROW | 276.9 | 277.15 | 1,300 | 0 | 0 to 15 |
| Electric Transmission Line | 277 | 277.2 | 1,100 | 0 to 61 | 41 to 100 |
| Electric Transmission Line | 277.2 | 277.55 | 1,800 | 38 | 0 |
| Electric Transmission Line | 277.9 | 278.15 | 1,300 | 25 | 62 |
| Field Road ROW | 277.9 | 278.2 | 1,600 | 6 to 64 | 0 to 15 |
| Electric Transmission Line | 278.08 | 280.15 | 10,900 | 0 to 186 | 0 to 100 |
| Electric Transmission Line | 278.15 | 278.5 | 1,800 | 20 | 20 |
| Electric Transmission Line | 278.78 | 280.08 | 6,900 | 38 | 0 |
| Field Road ROW | 280.1 | 280.5 | 2,100 | 0 to 321 | 0 to 15 |
| Pittsylvania County | | | | | |
| Field Road ROW | 285.4 | 286.1 | 3,700 | 0 to 165 | 0 to 15 |
| Field Road ROW | 287.78 | 287.9 | 600 | 0 | 0 to 15 |
| State Route ROW | 287.99 | 288.32 | 1,700 | 0 to 55 | 0 to 30 |
| Electric Transmission Line | 289.45 | 289.65 | 1,100 | 96 | 0 |
| State Route ROW | 290.25 | 290.32 | 400 | 0 to 131 | 0 to 30 |
| Railroad ROW | 295.4 | 295.67 | 1,400 | 0 | 100 |
| Field Road ROW | 295.65 | 295.76 | 600 | 0 to 16 | 15 |
| Field Road ROW | 296.6 | 296.7 | 500 | 0 to 82 | 0 to 15 |
| Pipeline | 300.55 | 300.8 | 1,300 | 63 | 0 |

Appendix P P-8

Summary of Pipeline Collocated with Existing Corridors and Rights-of-Way Mountain Valley Project

| Project Component/ State/County/Facility Type | Start MP | End MP | Distance (feet) | Offset between Pipe and Edge of ROW (feet) <u>a/</u> | Construction ROW Offset (feet) <u>a/</u> |
|--|----------|--------|--------------------|---|--|
| EEP - H-158/M-80 | | | | | |
| Pennsylvania | | | | | |
| <u>Green County</u> | | | | | |
| Pipeline | 0.16 | 0.24 | 422 | | |
| EEP - H-305 | | | | | |
| Pennsylvania | | | | | |
| <u>Green County</u> | | | | | |
| Pipeline | 0 | 0.1 | 528 | | |
| EEP - H-316 | | | | | |
| Pennsylvania | | | | | |
| <u>Green County</u> | | | | | |
| Pipeline | 0.2 | 0.46 | 1,373 | | |
| Pipeline | 0.2 | 0.46 | 1,373 | | |
| EEP - H-318 | | | | | |
| Pennsylvania | | | | | |
| Allegheny County | | | | | |
| Pipeline | 0 | 8.0 | 4,224 | | |
| Pipeline | 1.22 | 2.04 | 4,330 | | |

a/ Note that an offset of zero can indicate an overlap between (1) the pipeline centerline or the construction ROW and (2) the edge of the ROW.